

Document

No 33

'ENVIRONMENTAL OESTROGENS':

A Compendium of Test Methods

July 1996

'ENVIRONMENTAL OESTROGENS':

A Compendium of Test Methods

ECETOC DOCUMENT No. 33

July 1996

ECETOC TASK FORCE ON 'ENVIRONMENTAL OESTROGENS'

'ENVIRONMENTAL OESTROGENS' : A COMPENDIUM OF TEST METHODS

Preamble

Against a background of increasing concern about the potential for natural and synthetic chemicals to affect reproduction in humans and wildlife, there is a pressing need to develop screening and testing methods which will enable an unequivocal identification of such hazardous properties. Experimental data from a variety of laboratory studies are appearing at an increasing rate, providing a dilemma to those involved in hazard and risk assessment because the reliability of the methods has yet to be demonstrated.

The Task Force is in the process of evaluating the utility of available test methods for assessing hazards to humans and wildlife. As a first step, a compendium of methods which have been reported to identify chemicals affecting reproductive function (including those having oestrogenic activity) has been compiled. It is published at this stage to encourage others to provide information to add to the compendium and to effect the critical review of the methods.

In publishing this compendium, the Task Force is aware of the limitations of such methods for use in regulatory toxicology; for example, there are acknowledged limitations in using *in vitro* methods because they may fail to account for the complex metabolic and kinetic interactions known to be important to the expression of toxicity in whole animals. Similarly *in vivo* studies may have limitations in that functional effects may occur as a result of a variety of mechanistic interactions and may not be relevant to other species. Such aspects have a profound influence on the utility of methods for evaluating chemical risks, hence, the listing of a method in this compendium does not imply that it is necessarily of value for such purpose.

TABLE 1: - REGULATORY TEST METHODS - MAMMALIAN *in vivo* * (Commonly Used Species)

Method	Principle	Endocrine/reproductive endpoint(s) determined	Reference
Subchronic Studies (Rats, Mice, Dogs)	Repeated administration of the test substance for a period of 28 days or 90 days.	<ul style="list-style-type: none"> - Endocrine and sex accessory organ weights and appearance - Histopathology of endocrine or sex accessory organs 	1,2,3,4,5,6, 7,8,9,10,11
Long-term Studies (Rats, Mice, Dogs)	Repeated administration of the test substance for a period of 12 months for dogs, 18 months in mice, and 24 months in rats.	<ul style="list-style-type: none"> - Endocrine and sex accessory organ weights and appearance - Histopathology of endocrine or sex accessory organs 	12, 13, 14, 15, 16, 17, 18
Multi-generation Breeding Studies (Rats, Mice)	Reproduction and/or Continuous administration of the test substance during the entire reproductive cycle of males and females.	<p>Reproductive function, capacity, and fecundity for 1 or more generations and/or continuous breeding</p> <ul style="list-style-type: none"> - Altered function and morphology of endocrine or sex accessory organs of parental animals or their offspring - All aspects of reproductive physiology (i.e., insemination and fertility rates, perinatal development and overall fecundity) <p>New proposed OPPTS 870.3800 will incorporate</p> <ul style="list-style-type: none"> - measurement of sperm count, motility, and morphology - oestrous cycle length and normality - developmental landmarks such as vaginal opening and preputial separation - detailed histopathology of ovaries, testes, and epididymides 	19,20,21,22, 23,24,25
ICH (International Conference on Harmonisation) Reproductive and Developmental Toxicology Studies	Repeated administration "Most Probable Options" screens to evaluate fertility, embryonic, pre- and post-natal development, and maternal function. Secondary repeated administration tests are designed to characterise the mechanism and origin of any toxic effects.	<ul style="list-style-type: none"> - Maturation of gametes (spermato- and oocyto-genesis) - Mating behaviour - Fertility and fecundity - Pre- and post-implantation embryo development - <i>Corpora lutea</i>, implantation sites - Live and dead conceptus - Abnormalities and malformation of fetuses - Postnatal growth, development, and mortality of the offspring - Functional deficits in the offspring (behaviour, maturation, and reproduction) - Altered function and morphology (macro- and micro-) of the endocrine and sex accessory organs of parental animals and their offspring. 	24

* See Annex 1 for more details

TABLE 1: (Cont.) REGULATORY TEST METHODS - MAMMALIAN *in vivo* * (Commonly Used Species)

Method	Principle	Endocrine/reproductive endpoint(s) determined	Reference
Prenatal Developmental Toxicity Studies (Rats, Mice, Rabbits) [Formerly Called Teratology or Segment II]	Single or repeated administration during prenatal development of the fetuses of pregnant animals exposed during critical period of organogenesis. The new OPPTS 870.3700 guideline will incorporate exposure from implantation until term.	<ul style="list-style-type: none"> - Implantation, abortion, early embryonic death, and resorption - External and internal malformation or anomaly rates 	24,25,26,27, 28,29,30,31, 32
Reproduction / Developmental Toxicity Screening Test (OECD 421) (Rats)	This reduced one-generation study is designed to generate limited information concerning the effects of a chemical on male and female reproductive performance. The testing is initiated 2 weeks prior to mating and continued until day 4 postnatally.	<ul style="list-style-type: none"> - Gonadal function - Mating behavior - Stages of spermatogenesis - Conception - Development of the conceptus - Parturition - Early postnatal survival and growth 	33
Combined Repeated Dose Toxicity Study with the Reproduction/ Developmental Toxicity Screening Test (Draft OECD 422) (Rats)	Combined repeated dose toxicity study with a reduced one-generation study is designed to provide information on the effects of repeated exposure on the health and reproductive performance of both sexes.	<ul style="list-style-type: none"> - Endocrine and sex accessory organ weights and appearance - Histopathology of endocrine or sex accessory organs - Gonadal function - Mating behaviour - Conception - Development of the conceptus - Parturition - Early postnatal survival and growth 	34
Dominant Lethal Test (Mice, Rats)	Repeat mating or repeat dosing with 1 to 3 matings to evaluate chemical mutagenesis in germ cell in adult males.	<ul style="list-style-type: none"> - Effects on different germ cell stages - Indirect evidence on spermatogenesis - Information on sperm fertility if coupled to ova analysis 	35,36

* See Annex 1 for more details

TABLE 2: NON-REGULATORY TEST METHODS - MAMMALIAN *in vivo*

Method	Principle	Endocrine/reproductive endpoint(s) determined	Reference
<i>In vivo</i> Developmental Toxicity Screening Tests	Administration to pregnant rats or mice from day 8 through 12 of gestation. Effects on progeny studied.	- Growth retardation, reduced viability, stillbirths, malformations, offspring viability and growth reduction	37
Chernoff-Kavlock	Range finding non-pregnant rodents followed by dosing day 8-12 of pregnancy with Minimal Toxic Dose.	- Potential female reproductive effects - Potential fetal/postnatal growth and survival, in general, directs further studies	38
Allen-Doisy Assay	Cornification and keratinization of vaginal epithelium of ovariectomized rodents.	- Vaginal cytology	39,40,41,42,43
Vaginal Epithelial Cell Proliferation	Increase in vaginal mitosis and epithelial thickness in ovariectomized rodents.	- Alteration in vaginal epithelial mitotic index	42,43,44,45,46,47
Vaginal Epithelial Tetrazolium Reduction	Increase in vaginal reduction of tetrazolium in ovariectomized rodents measured colorimetrically.	- Tetrazolium reduction	48
Vaginal Opening	The opening of the vagina in the immature rodent.	- Precocious or delayed vaginal opening - Reproductive tract weight	49,50,51
Vaginatrophic Response	Increase in vaginal wet weight in the immature female rodent.	- Vaginal tissue growth response	52,53,54,55
Measurement of Sialinacid	Oestrogen-induced reduction of vaginal sialinacid production in ovariectomized female rodents.	- Reduction in vaginal sialinacid production	56
Uterine Growth Test	Increase in the weight of the uterus (wet and/or dry) of ovariectomized or immature rodents.	- Change in uterine weight	53,54,55
Uterine Fluid Inhibition (Astwood Bioassay)	Specialised uterine growth test measuring early water uptake.	- Dose response increase in uterine wet weight	57,58,59

TABLE 2: (Cont.) NON-REGULATORY TEST METHODS - MAMMALIAN *in vivo*

Method	Principle	Endocrine/reproductive endpoint(s) determined	Reference
Uterine Growth Biochemistry	Measurements of biochemical events associated with uterine growth in ovariectomized or immature rodents.	<ul style="list-style-type: none"> - Thymidine incorporation into DNA - Glycogen content in response to estrogens - Enzyme activity - Increased peroxidase activity 	59,60,61,62 63,64
Uterine Estrogen Withdrawal Bleeding	In women and non-human primates, sudden deprivation or diminution of oestrogen or progestin results in uterine bleeding.	<ul style="list-style-type: none"> - Induced uterine bleeding 	65,66,67
Serum and/or Tissue Hormone Levels measured using Radioimmunoassay	Exposure to oestrogens or oestrogenic agents can alter normal hormonal balance in intact animals; changes in specific hormones can be measured as a direct or indirect measure of oestrogenic potential.	<ul style="list-style-type: none"> - Serum and/or tissue hormone concentrations 	68,69,70,71, 72

TABLE 3: NON-REGULATORY TEST METHODS - MAMMALIAN *in vitro*

Method	Principle	Endocrine/reproductive endpoint(s) determined	Reference
<i>In vitro</i> Developmental Toxicity Study	The determination of the effects of chemicals on micromass.	- Differentiation towards cartilage and neuronal cells - Growth retardation, cellular toxicity and death	73
Chick Embryo Retina Cell Assay	Evaluates the teratogenic potential embryonic cells.	- Cell to cell interaction - Growth and differentiation in embryonic cells	74,75
Whole - Embryo Culture System	Evaluates the teratogenic potential <i>in vitro</i> .	- Altered growth or differentiation of embryonic cells	76,77,78,99
MCF - 7 Cell Proliferation <i>In Vitro</i> (E-Screen Assay)	Cell proliferation in a polyclonal, hormonally responsive cultured human metastatic breast cancer cell line (MCF-7).	- Relative proliferative potencies (RPP) - Variations of this approach use other endpoints, i.e., Cathespin-D release, thymidine incorporation, tetrazolium, Alamar Blue reduction and progesterone receptor concentrations.	79,80,81,82
Ishikawa Cell (Human Endometrial Carcinoma Line) - Alkaline Phosphatase	Measurement of alkaline phosphatase release in response to oestrogen.	- Measurement of alkaline phosphatase release	83,84
Oestrogen/Androgen Receptor Binding	Oestrogen/Androgen reacts with a high binding affinity and specificity to protein which constitutes a primary event in hormonal action. These receptor proteins are located in the primary as well as secondary accessory organs.	- Displacement of oestradiol or testosterone from isolated receptor protein	85,86
Aryl Hydrocarbon Receptor (Ah) Binding (Dioxin Receptor)	Although the Ah receptor is not the oestrogen receptor, experimental evidence would suggest some relationship between the two receptor types.	- Measurement of binding to the Ah receptor	87,88,89
Uterine cell DNA and Progesterone Receptor Synthesis/Specific Protein Secretion	Dispersed uterine cells from an immature rat grown in monoculture are oestrogen responsive.	- Induction of progesterone receptor - Induction of 130-Kdalton secreted protein - Thymidine incorporation	90,91

TABLE 3: (Cont.) NON-REGULATORY TEST METHODS - MAMMALIAN *in vitro*

Method	Principle	Endocrine/reproductive endpoint(s) determined	Reference
Pituitary Cell Prolactin Synthesis	Primary cultures of dispersed rat pituitary cells from immature rats respond to estrogen by increased incorporation of leucine into prolactin.	- Incorporation of leucine into prolactin	92,93
<i>In Vitro</i> - Transfected Cells	The oestrogen receptor functions by modulating the rate of transcription of its target cell genes. The receptor contains at least two Transcriptional Activation Functions (TAFs), TAF-1 is located at the N terminal end to the DNA binding domain while TAF-2 is located at the C terminus of the hormone binding domain. The relative activities of the TAFs vary according to exposure to oestradiol and other oestrogens. Measurement of the specific receptor - chemical interactions, linking specific endocrine-responsive elements to CAT or Luciferase protein genes in human and animal cell lines that are responsive to specific hormones or hormone -mimics, is possible with transfected cells.	- Characterisation of receptor-chemical interaction and potency by means of measuring CAT or Luciferase	94,95,96,97
<i>In vitro</i> Fertilization Assay Using Zona Pellucida Free Hamster, Rat, or Mouse eggs	Evaluation of fertilization in eggs with the zona pellucida removed	- Penetration by spermatozoa - Cell division	98
<i>In vitro</i> Fertilization in Cultured Embryos	Evaluation of the mammalian preimplantation period in cultured embryos	- Cell division from first cleavage through implantation - Toxicity to meiosis - Chromosomal effects	99
Relative Binding Affinity of Serum Hormone Binding Proteins	The effect of serum (i.e. binding proteins) on the binding affinity to the oestrogen receptor.	- Relative binding of the test substance in the presence and absence of serum proteins	100
Maintenance of Female Reproductive Organ Cell in Culture.	Oestrogen is needed for the maintenance of ovarian somatic cells (granulosa, thecal, and stromal cell) in culture.	- Effects on cell morphology - Effects on cell viability - Hormonal responsiveness	101

TABLE 3: (Cont.) NON-REGULATORY TEST METHODS - MAMMALIAN *in vitro*

Method	Principle	Endocrine/reproductive endpoint(s) determined	Reference
Microtubule Polymerization Assay in Syrian Hamster Embryos	Inhibition of microtubule polymerization leading to micronuclei and aneuploidy, and perhaps estrogen-mediated carcinogenicity.	- Microtubule polymerization in a cell free system	102
Mouse Lactoferrin Gene as a Marker for Oestrogen and Epidermal Growth Factor	Two modules on the mouse uterus lactoferrin gene respond to the presence of oestrogen.	- Measurement of lactoferrin mRNA and protein	103

TABLE 4: REGULATORY TEST METHODS - ENVIRONMENTAL *in vivo* *

Method	Principle	Endocrine/reproductive endpoint(s) determined	Reference
Fish Early Life Stage Tests	Commences with the exposure of fertilized fish eggs and continues through to juvenile stages.	<ul style="list-style-type: none"> - Hatchability and viability of eggs, - Growth and development of fish larvae, including abnormal behaviour and appearance 	104
Fish Partial Chronic Test	Commences with the exposure of adults and continues through to the first generation early life stage.	<ul style="list-style-type: none"> - Fecundity of adult fish (frequency and hatching rate of eggs, survival of embryos and larvae) - Alteration in hatching 	105
Fish Full Life-Cycle Test	Commences with the exposure of eggs and continues through to 8 weeks post-hatch in the second generation.	<ul style="list-style-type: none"> - Viability of eggs - Development - Growth - Reproductive success 	105
Invertebrate Reproduction Tests (e.g. <i>Daphnia magna</i> , <i>Chironomus</i> , Mysid shrimp, annelids)	Commences with exposure of neonates/juveniles continuing through to adult reproduction.	<ul style="list-style-type: none"> - Detection of toxic effects on reproduction 	106, 107, 108, 109
Avian Tests	Adult Mallard duck or Japanese quail are exposed via the diet (20 wks) through to egg hatch and young birds monitored for 14 days.	<ul style="list-style-type: none"> - Mortality of adults - Egg production - Cracked eggs and egg shell thickness - Viability, - Hatchability - Effects on young birds 	110, 111, 112

* See Annex 1 for more details

TABLE 5: NON-REGULATORY TEST METHODS - ENVIRONMENTAL *in vivo*

Method	Principle	Endocrine/reproductive endpoint(s) determined	Reference
Mollusca	Exposure of juveniles or adults and observation of morphological changes.	<ul style="list-style-type: none"> - Changes to sexual characteristics - Imposex - Sexual differentiation - Reproduction 	113,114,115,116,117
Amphibia	Commences with exposure of amphibian tadpoles continuing through to the adulthood.	<ul style="list-style-type: none"> - Change in the phenotypic sex ratio - Plasma vitellogenin concentration 	118,119
Reptilia	Turtle and alligator eggs are exposed by painting or injecting the test substance (estrogenic activity, aromatase inhibition). Vitellogenin induction in Red-eared turtles.	<ul style="list-style-type: none"> - Changes in hatching sex ratios - Plasma vitellogenin concentration 	119,120,121,122,123
Fish-Early Life Stage Tests	Commences with the exposure of fertilized fish eggs and continues through to juvenile stages.	<ul style="list-style-type: none"> - Abnormal gonad differentiation - Alteration of phenotypic sex ratio - Presence of intersex fish 	124
Fish-Partial Chronic Test	Commences with the exposure of adult fish and continues through to the first generation early life stage.	<ul style="list-style-type: none"> - Alteration in hatching frequency and rate of eggs - Survival of embryos and larvae 	125
Fish - Vitellogenin Synthesis in Immature or Male Fish	Exposure of juvenile or adult male fish and vitellogenin production in response to oestrogen.	<ul style="list-style-type: none"> - Plasma vitellogenin concentration 	126,127,128,129
Fish-Reproductive Effects in Maturing or Mature Fish.	Exposure of immature or mature fish.	<ul style="list-style-type: none"> - Abnormal expression of secondary sexual characteristics - Regression of gonads, - Change in plasma steroid concentration - Alteration of <i>in vitro</i> gonadal steroidogenesis 	130

TABLE 5: (Cont.) NON-REGULATORY TEST METHODS - ENVIRONMENTAL *in vivo*

Method	Principle	Endocrine/reproductive endpoint(s) determined	Reference
Fish - 2-Generation Chronic Test.	Exposure of fish over 2 generations.	- Reduction in eggs released per spawning	131, 132
Avian	Exposure of chicken eggs to endocrine modulators (aromatase inhibition).	- Change in hatching sex ratios	133

TABLE 6: NON-REGULATORY TEST METHODS - ENVIRONMENTAL *in vitro*

Method	Principle	Endocrine/reproductive endpoint(s) determined	Reference
Receptor Binding (fish liver)	Binding to reproductive steroid receptors.	- Concentration of xenobiotics required to cause a 50% displacement of steroid (e.g. [3H]- oestradiol)	134
Recombinant Yeast Cell Assay	Oestrogen- and androgen-inducible expression system and transcriptional activity.	- Reporter gene activity (galactosidase)	135, 136, 137
Transfected Estrogen Receptor, Chicken Embryo Fibroblasts	Oestrogen-induced transcriptional activity.	- Reporter gene activity (chloramphenicol acetyl transferase and luciferase)	134
Vitellogenin Synthesis by Fish Hepatocytes	Vitellogenin production in response to oestrogen stimulation.	- Vitellogenin concentration	125

ANNEX 1: REGULATORY GUIDELINE ENDOCRINE ENDPOINT DETECTION CAPABILITY (ADULT ANIMALS)

	Guideline Test Method (s)						
	Subchronic Toxicity OECD 407-413 FIFRA 83-3 TSCA, MAFF Ref (s) # 1-11	Chronic / oncogenicity OECD 451-3 FIFRA 83-5 TSCA,MAFF Ref (s) # 12-18	Development Toxicity OECD 414 FIFRA 83-3 TSCA, MAFF OPPTS 870.3700 Ref (s) # 24-32	Reproductive Toxicity OECD 415-6 FIFRA 83-4 TSCA, MAFF OPPTS 870.3800 Ref (s) # 19-24	Reroductive screening OECD 421 (27.7.96) Ref (s) # 33	Combined screen/ 28-day OECD 422 (Draft) Ref (s) # 34	Dominant Lethal OECD 478 Ref (s) # 35-36
ENDPOINTS - ADULTS							
Reproduction - fertility							
- Fecundity (litter size and no. of litters)				X	X	X	X
- Gestation length				X	X	X	
- Abortion			X	X	X	X	
- Premature delivery			X	X	X	X	
- Dystocia			X	X	X	X	
- Time to mating				X	X	X	
- Mating and sexual behavior				X	X	X	
- Estrous cyclicity	O	O		I	I	X	
- Ovulation	I	O		X/O	E	X	
- Spermatogenesis	X	X		X/O	I	X	X
- Sperm count and production	O	O		O	O	O	
- Reproductive life span		O		O			
Gonad (size, morphology and weight)	X	X		X	X	X	
Accessory sex organ function (secretory products production)	O			O		O	
Secondary sexual characteristics (muscle and body mass, hair/fur,etc)							
Gross pathology of reproductive tissue	X	X		I/E	X	I/E	
Histopathology of reproductive tissue	X	X		I/E	X	I/E	

ANNEX 1: (Cont.) REGULATORY GUIDELINE ENDOCRINE ENDPOINT DETECTION CAPABILITY (ADULT ANIMALS)

	Guideline Test Method (s)						
	Subchronic Toxicity OECD 407-413 FIFRA 83-3 TSCA, MAFF	Chronic / oncogenicity OECD 451-3 FIFRA 83-5 TSCA,MAFF	Development Toxicity OECD 414 FIFRA 83-3 TSCA, MAFF OPPTS 870.3700 Ref (s) # 24-32	Reproductive Toxicity OECD 415-6 FIFRA 83-4 TSCA, MAFF OPPTS 870.3800 Ref (s) # 19-24	Reroductive screening OECD 421 (27.7.96) Ref (s) # 33	Combined screen/ 28-day OECD 422 (Draft) Ref (s) # 34	Dominant Lethal OECD 478 Ref (s) # 35-36
ENDPOINTS - ADULTS	Ref (s) # 1-11	Ref (s) # 12-18	Ref (s) # 24-32	Ref (s) # 19-24	Ref (s) # 33	Ref (s) # 34	Ref (s) # 35-36
Hormone levels							
- LH and FSH levels	O	O		O	O	O	
- Androgen and estrogen levels	O	O		O	O	O	
Tumors (incidence and latency time) related to reproductive and endocrine tissues		X					
Major difference between sexes of any effect	X	X		X	X	X	

ANNEX 1: REGULATORY GUIDELINE ENDOCRINE ENDPOINT DETECTION CAPABILITY (OFFSPRING)

	Guideline Test Method (s)						
	Subchronic Toxicity OECD 407-413 FIFRA 83-3 TSCA, MAFF	Chronic / Oncogenicity Rodent Study OECD 451-3 FIFRA 83-5 TSCA,MAFF	Development Toxicity OECD 414 FIFRA 83-3 TSCA, MAFF OPPTS 870.3700 Ref (s) # 24-32	Reproductive Toxicity OECD 415-6 FIFRA 83-4 TSCA, MAFF OPPTS 870.3800 Ref (s) # 19-25	Reproductive screening OECD 421 (27.7.96)	Combined screen/ 28-day OECD 422 (Draft)	Dominant Lethal OECD 478
ENDPOINTS - OFFSPRING	Ref (s) # 1-11	Ref (s) # 12-18	Ref (s) # 24-32	Ref (s) # 19-25	Ref (s) # 33	Ref (s) # 34	Ref (s) # 35-36
X Endpoint positively identified in test system			X	X	X	X	
I Endpoint not identified on a regular basis				X	X	X	
E Endpoint seen only in extreme cases				X	O	X	
O Endpoint could be included (optional)				X		X	
Offspring sexual differentiation				X			
Offspring sex ratio							
Gonad development (size, morphology, weight)				X		X	
Accessory sex organ development				X		X	
Accessory sex organ function (secretory products production)				X			
Secondary sexual characteristics (muscle and body mass, hair/fur, etc)				X			
Sexual development and maturation (vaginal opening, testis descent, preputial separation, anogenital distance, and nipple development)				X		X	
Anomalies or malformations of the genital tract			X	X	E	X	
Gross pathology of reproductive tissue			X	X	O	X	
Histopathology of reproductive tissue			X	X	O	X	
Viability of the conceptus and offspring (post- and pre-implantation loss, gestation and neonatal survival)			O	X	X	X	
Growth of the conceptus and offspring (body weight)			O	X		X	
Major difference between sexes of any effect	X	X	X	X	X	X	X

REFERENCES

- 1 US Environmental Protection Agency, 1982. OPP Guideline 82-1. Subchronic Study in Rodents. Pesticide Assessment Guidelines, Subdivision F. Hazard Evaluation: Human and Domestic Animals. *Office of Pesticides and Toxic Substances*, Washington, D.C. EPA - 540/9-82-085.
- 2 US Environmental Protection Agency, 1982. OPP Guideline 82-1. Subchronic Study in Non-rodents. Pesticide Assessment Guidelines, Subdivision F. Hazard Evaluation: Human and Domestic Animals. *Office of Pesticides and Toxic Substances*, Washington, D.C. EPA - 540/9-82-085.
- 3 US Environmental Protection Agency, 1985. Toxic Substances Control Act Test Guidelines; Final Rules. Subchronic Exposure - Dermal Toxicity: Health Effects Testing Guidelines. 40 CFR 798.2250, *Fed. Reg.* 50(188), 39404-39407.
- 4 US Environmental Protection Agency, 1985. Toxic Substances Control Act Test Guidelines; Final Rules. Subchronic Exposure - Inhalation Toxicity: Health Effects Testing Guidelines. 40 CFR 798.2250, *Fed. Reg.* 50(188), 39407-39409.
- 5 US Environmental Protection Agency, 1985. Toxic Substances Control Act Test Guidelines; Final Rules. Subchronic Exposure - Oral Toxicity: Health Effects Testing Guidelines. 40 CFR 798.2650, *Fed. Reg.* 50(188), 39409-39412.
- 6 OECD Guidelines For Testing of Chemicals, 1984. Section 4. Health Effects. Guideline 407 (Adopted 12 May 81). Repeated Dose Oral Toxicity - Rodent 28-day or 14-day Study, 1-8.
- 7 OECD Guidelines For Testing of Chemicals, 1984. Section 4. Health Effects. Guideline 408 (Adopted 12 May 81). Subchronic Oral Toxicity Test - Rodent: 90-day study, 1-9.
- 8 OECD Guidelines For Testing of Chemicals, 1984. Section 4. Health Effects. Guideline 409 (Adopted 12 May 81). Subchronic Oral Toxicity Test - Non-rodent: 90-day study, 1-8.
- 9 Japanese Ministry of Agriculture, Forestry, and Fisheries, 1985. Subchronic Oral Toxicity Study. Testing Guidelines for Toxicity Studies. 59 NohSan No.4200. *Agricultural Chemicals Laws and Regulations. Japan. (II)*. Society of Agricultural Chemical Industry, 31-32.
- 10 Japanese Ministry of Agriculture, Forestry, and Fisheries, 1985. Subchronic Dermal Toxicity Study. Testing Guidelines for Toxicity Studies. 59 NohSan No.4200. *Agricultural Chemicals Laws and Regulations. Japan. (II)*. Society of Agricultural Chemical Industry, 33-34.
- 11 Japanese Ministry of Agriculture, Forestry, and Fisheries, 1985. Subchronic Dermal Toxicity Study. Testing Guidelines for Toxicity Studies. 59 NohSan No.4200. *Agricultural Chemicals Laws and Regulations. Japan. (II)*. Society of Agricultural Chemical Industry, 34-36.
- 12 US Environmental Protection Agency, 1982. OPP Guideline 83-5. Combined Chronic Toxicity/Oncogenicity Study. Pesticide Assessment Guidelines, Subdivision F. Hazard Evaluation: Human and Domestic Animals. *Office of Pesticides and Toxic Substances*, Washington, D.C. EPA - 540/9-82-085.
- 13 OECD Guidelines For Testing of Chemicals, 1984. Section 4. Health Effects. Guideline 451 (Adopted 12 May 81). Carcinogenicity Studies, 1-17.
- 14 US Environmental Protection Agency, 1985. Toxic Substances Control Act Test Guidelines; Final Rules. Chronic Exposure - Chronic Toxicity: Health Effects Testing Guidelines. 40 CFR 798.3260; 39415 - 39418.
- 15 US Environmental Protection Agency, 1985. Toxic Substances Control Act Test Guidelines; Final Rules. Combined Chronic Exposure/Oncogenicity: Health Effects Testing Guidelines. 40 CFR 798.3320, 39421 - 39425.

- 16 Japanese Ministry of Agriculture, Forestry, and Fisheries, 1985. Chronic Toxicity Study. Testing Guidelines for Toxicity Studies. 59 NohSan No.4200. *Agricultural Chemicals Laws and Regulations. Japan. (II)*. Society of Agricultural Chemical Industry, 37-40.
- 17 Japanese Ministry of Agriculture, Forestry, and Fisheries, 1985. Combined Chronic Toxicity/Oncogenicity Study. Testing Guidelines for Toxicity Studies. 59 NohSan No.4200. *Agricultural Chemicals Laws and Regulations. Japan. (II)*. Society of Agricultural Chemical Industry, 42-44.
- 18 US Environmental Protection Agency, 1982. OPP Guideline 83-4. Reproductive and Fertility Effects. Pesticide Assessment Guidelines, Subdivision F. Hazard Evaluation: Human and Domestic Animals. *Office of Pesticides and Toxic Substances*, Washington, D.C. EPA - 540/9-82-085.
- 19 Burin G, Chittlik L, Makris SL, and Rowe JN, 1993. Reproductive Toxicity Studies. Standard Evaluation Procedure. Health Effects Division. *Office of Pesticide Programs*. United States Environmental Protection Agency. (October 1993).
- 20 OECD Guidelines For Testing of Chemicals, 1984. Section 4. Health Effects. Guideline 416 (Adopted 26 May 83). Two-Generation Reproduction Toxicity Study, 1-8.
- 21 US Environmental Protection Agency, 1985. Toxic Substances Control Act Test Guidelines; Final Rules. Oral Toxicity with Satellite Reproduction and Fertility Study: Health Effects Testing Guidelines. 40 CFR 798.2675, *Fed. Reg.* 50(188), 39412-39415.
- 22 Japanese Ministry of Agriculture, Forestry, and Fisheries, 1985. Reproduction Study. Testing Guidelines for Toxicity Studies. 59 NohSan No.4200. *Agricultural Chemicals Laws and Regulations. Japan. (II)*. Society of Agricultural Chemical Industry, 45-48
- 23 US Environmental Protection Agency, February 1996. Health Effects Test Guidelines. OPPTS870.3800. Reproduction and fertility effects. Public Draft EPA 712-C-96-208.
- 24 US Food and Drug Administration, 1994. International Congress on Harmonization: Guideline on the Detection of Toxicity to Reproduction for Medicinal Products. *Fed. Reg.* 59, 48746-48752.
- 25 Lamb JC, 1985. Reproductive Toxicity Testing: Evaluating and Developing new test systems. *J. Am. Coll. Toxicol.* 4: 163-171.
- 26 US Environmental Protection Agency, 1982. OPP Guideline 83-3. Teratogenicity Study. Pesticide Assessment Guidelines, Subdivision F. Hazard Evaluation: Human and Domestic Animals. *Office of Pesticides and Toxic Substances*, Washington, D.C. EPA - 540/9-82-085.
- 27 OECD Guidelines For Testing of Chemicals, 1984. Section 4. Health Effects. Guideline 414. (Adopted 12 May 81). Teratology Studies, 1-6.
- 28 Japanese Ministry of Agriculture, Forestry and Fisheries, 1985. Teratogenicity Study. Testing Guidelines for Toxicity Studies. 59 NohSan No.4200. *Agricultural Chemicals Laws and Regulations. Japan. (II)*. Society of Agricultural Chemical Industry, 48-49.
- 29 US Environmental Protection Agency, 1989. Toxic Substances Control Act Test Guidelines; Final Rules. Specific Organ/Tissue Toxicity - Inhalation Development Toxicity Study: Health Effects Testing Guidelines. 40 CFR 798.4350, *Fed. Reg.* 50(188), 39426-39428 .
- 30 US Environmental Protection Agency, 1989. Toxic Substances Control Act Test Guidelines; Final Rules. Preliminary Development Toxicity Screen: Health Effects Testing Guidelines. 40 CFR 798.4420, *Fed. Reg.* 50(188), 39428-39429.
- 31 US Environmental Protection Agency, 1989. Toxic Substances Control Act Test Guidelines; Final Rules. Developmental Toxicity Study: Health Effects Testing Guidelines. 40 CFR 798.4900, *Fed. Reg.* 50(188), 39433-39434.
- 32 US Environmental Protection Agency, February 1996. Health Effects Test Guidelines. OPPTS870.3700. Prenatal Developmental Toxicity Study. Public Draft EPA 712-C-96-207.

- 33 OECD Guideline for Testing of Chemicals, 1995. Section 4. Health Effects. Guideline 421. (Adopted 27 July 1995). Reproduction/ Developmental Toxicity Screening Test, 88-98.
- 34 OECD Guideline for Testing of Chemicals, 1996. Section 4. Health Effects. Guideline 422. (Adopted 27 March 1996). Combined Repeated Dose Toxicity Study with the Reproduction /Developmental Toxicity Screening Test.
- 35 US Environmental Protection Agency, 1982. OPP Guideline 84-2. Mutagenicity. Pesticide Assessment Guidelines, Subdivision F. Hazard Evaluation: Human and Domestic Animals. *Office of Pesticides and Toxic Substances*, Washington, D.C. EPA - 540/9-82-085.
- 36 OECD Guidelines For Testing of Chemicals, 1984. Section 4. Health Effects. Guideline 478 (Adopted 4 April 84). Genetic Toxicology: Rodent Dominant Lethal Test, 1-6.
- 37 Danish Environmental Protection Agency, 1995. Miljøprojekt Nr. 290: Male Reproduction Health and Environmental Chemicals with Estrogenic Effects. Ministry of Environment and Energy. Denmark, Appendix 3, 160-161.
- 38 Chernoff N and Kavlock R, 1982. An *In Vivo* Teratology Screen Utilizing Pregnant Mice. *J. Toxicol. Environ. Health.* 10: 541-550.
- 39 Allen E and Doisy ED, 1923. An Ovarian Hormone: Preliminary Report on Its Localization, Extraction and Partial Purification, and Action in Test Animals. *JAMA* 81(10), 819-821.
- 40 Kahnt LC and Doisy ED, 1928. The Vaginal Smear Method of Assay of the Ovarian Hormone. *Endocrinol.* 12, 760-768.
- 41 Biggers JD and Claringbold PJ, 1954. Criteria of Vaginal Response to Oestrogens. *J. Endocrinol.* 11, 277-284.
- 42 Jones RC and Edgren RA, 1973. The Effects of Various Steroids on the Vaginal Histology of the Rat. *Fertil. Steril.* 24, 284-291.
- 43 Biggers JD, 1951. Observations on the Intravaginal Assay of Natural Oestrogens Using Aqueous Egg Albumin as the Vehicle of Administration. *J. Endocrinol.* 7, 163-171.
- 44 Edgren RA, 1994 Issues in Animal Pathology. In: *Pharmacology of the Contraceptive Steroids*. J.W. Goldzeiher (ed.) Raven Press, Ltd., New York , 81-97.
- 45 Martin L and Claringbold PJ, 1958. A Highly Sensitive Assay of Oestrogens. *Nature.* 181, 620-621.
- 46 Martin L and Claringbold PJ, 1960. The Mitogenic Action of Oestrogens in the Vaginal Epithelium of the Ovariectomized Mouse. *J. Endocrinol.* 20, 173-186.
- 47 Kronenberg MS and Clark JH, 1985. Changes in Keratin Expression during the Estrogen-mediated Differentiation of Rat Vaginal Epithelium. *Endocrinology.* 117, 1480-1489.
- 48 Martin L, 1960. The Use of 2,3,5-Triphenyltetrazolium Chloride in the Biological Assay of Oestrogens. *J. Endocrinol.* 20, 187-197.
- 49 Emmens CW, 1962. Estrogens, Chapter 2, In: *Methods in Hormone Research*, Vol. II, Bioassay, R.I. Dorfman (ed.), Academic Press, New York , 59-111.
- 50 Lerner L, 1964. Hormone Antagonists: Inhibitors of Specific Activities of Estrogenic Substances, and a Comparison of Estradiol, Estrone and Estriol. *Endocrinology.* 24, 35-44.
- 51 Allen, E and Doisy ED, 1923. The Induction of a Sexually Mature Condition in Immature Females by In jection of the Ovarian Follicular Hormone. *Am. J. Physiol.* 69, 577-588.

- 52 Folman Y and Pope GS, 1966. The Interaction in the Immature Mouse of Potent Oestrogens with Coumestrol, Genistein and Other Utero-Vaginitrophic Compounds of Low Potency. *J. Endocrinol.* 34, 215-225 .
- 53 Bulbring E and Burn JH, 1935. The Estimation of Oestrin and of Male Hormones in Oily Solution. *J. Physiol.* 85, 320-333.
- 54 Dorfman RI Gallagher TF and Koch FC, 1936. The Nature of the Estrogenic Substance in Human Male Urine and Bull Testis. *Endocrinology.* 19, 33-4.
- 55 Dorfman RI and Kincl FA, 1966. Uterotrophic Activity of Various Phenol Steroids. *Acta Endocrinol.* 52, 619-626.
- 56 Hagele - Hartung C, 1996. Estrogens: Assessment and Methodology. Sialinacid Production of the Vagina in the Mouse. Personal Communication.
- 57 Astwood EB, 1938. A Six-Hour Assay for the Quantitative Determination of Estrogen. *Endocrinology.* 23, 25-31.
- 58 Hisaw FL, 1959. Comparative Effectiveness of Estrogens on Fluid Inhibition and Growth of the Rat's Uterus. *Endocrinology.* 64, 276-289.
- 59 Jordan RC Mittal S, Gosden B, Koch R and Lieberman ME, 1985. Structure - Activity Relationships of Estrogens. *Environ. Hlth. Perspect.* 61, 97-110.
- 60 Tennant MK, Hill DS, Eldridge JC, Wetzel LT, Breckenridge CB and Stevens JT, 1994. Anti-estrogenic Properties of Chloro-s-triazines in Rat Uterus. *J. Toxicol. Environ. Health.* 43, 183-196.
- 61 Bitman J and Cecil HC, 1970. Estrogenic Activity of DDT Analogs and Polychlorinated Biphenyls. *J. Agr. Food Chem.* 18(6): 1108-1112.
- 62 Galand P, Mairesse N, Degraef C and Rooryck J, 1987. o,p' Ddt (1,1,1-trichloro-2 (p-chlorophenyl) ethane is a Purely Estrogenic Agonist in the Rat Uterus *In Vivo* and *In Vitro*. *Biochem. Pharmacol.* 36, 397-400.
- 63 Sheehan DM and Branham WS, 1987. Dissociation of Estrogen-Induced Uterine Growth and Ornithine Decarboxylase Activity in the Postnatal Rat. *Teratogenesis, Carcinogenesis, and Mutagenesis.* 7: 411-422.
- 64 Astroff B and Safe S, 1990. Tetrachlorodibenzo-p-dioxin as an antiestrogen: effect on rat uterine peroxidase activity. *Biochem. Pharmacol.* 39, 485-488.
- 65 Clark JH and Mani SK, 1994. Actions of Ovarian Steroid Hormones. Chapter 17. In: *The Physiology of Reproduction.* 2nd (ed), Knobil e and Neill JD (ed), Raven Press, Ltd. New York, 1011-1059.
- 66 Eckstein P, Krohn PL, Zuckerman S and Healy MJR, 1952. The Comparative Potency of Natural and Synthetic Oestrogens In the Rhesus Monkey. *J. Endocrinol.* 8, 291-307.
- 67 Schane HP, Anzalone AJ and Potts GO, 1972. A Model for the Evaluation of Estrogens: Withdrawal Bleeding in Ovariectomized Rhesus Monkeys. *Fertil. Steril.* 23(10): 745-750.
- 68 Jiang N and Ryan RJ, 1969. Radioimmunoassays for estrogens, preliminary communication. *Mayo Clin. Proc.* 44, 461-464.
- 69 Eden S, Albertson-Wikland K and Isaksson O, 1978. Plasma levels of growth hormone (rGH) in female rats of different ages. *Acta Endocrinol.* 88, 646-653.
- 70 Niswender GD, Midley AR Jr, Monroe SE and Reichert LE Jr, 1968. Radioimmunoassays for Rat Luteinizing Hormone with Anti-ovine LH Plasma and Ovine LH. *Proc. Exp. Biol. Med.* 128, 807.
- 71 Abraham GE, Swerloff R, Tulchinsky D and Dell O WD, 1971. Radioimmunoassay of Plasma Progesterone. *J. Clin. Endocrinol.* 32, 619-624.

- 72 Neill JD and Reichert LE Jr, 1972. Development of a Radioimmunoassay for Rat Prolactin and Evaluation of the NIAMDD Rat Prolactin Radioimmunoassay. *Endocrinol.* 88, 548.
- 73 Flint OP and Orton TC, 1984. An in vitro assay for teratogens with cultures of rat embryo midbrain and limb cells. *Toxicol. Appl. Pharmacol.* 76, 383-395.
- 74 Daston GP, Baines D and Yonker JE, 1991. Chick Embryo Neural Retina cell Culture as a Screen for Developmental Toxicity. *Toxicol. Appl. Pharmacol.* 109, 352-366.
- 75 Daston GP, Baines D, Elmore E, Fitzgerald MP and Sharma S, 1995. Evaluation of Chick Embryo Neural Retina Cell Culture as a Screen for Developmental Toxicants. *Fund. Appl. Toxicol.* 26, 203-210.
- 76 Sadler TW, Horton WE and Warner CW, 1982. Whole-embryo culture: a screening technique for teratogens? *Teratogenesis. Carcinogenesis and Mutagenesis* 2, 243-253.
- 77 Schmid BP, 1985. Teratogenicity testing of new drugs with the postimplantation embryo culture system. In *Concepts in Toxicology*. Volume 3 (ed. F. Homberger) Basler: Karger, 46-57.
- 78 Schmid BP, Trippmaccher A and Bianchi A, 1983. Validation of whole-embryo culture method for in vitro teratogenicity testing. In *Developmental Toxicity in the Science and Practice of Toxicology* (ed. A.W. Hayes, R.C. Schnell and T.S. Miya). Amsterdam, Elsevier, 563-566.
- 79 Soule HD, Vazquez J, Long A, Albert S and Brennan M, 1973. A Human Cell Line from a Pleural Effusion Derived from a Breast Carcinoma. *J. Nat. Cancer Inst.* 51, 1409-1413.
- 80 Brooks SC, Locke ER and Soule H, 1973. Estrogen Receptor in a Human Cell Line (MCF-7) from Breast Carcinoma. *J. Biol. Chem.* 248, 6251-6253.
- 81 Soto AM, Lin TM, Justicia H, Silvia RM and Sonnenschein C, 1992. An "in culture" Bioassay to Assess the Estrogenicity of Xenobiotics (E-SCREEN). In: *Advances in Modern Environmental Toxicology. Chemically -induced Alterations in Sexual and Functional Development. The Wildlife/Human Connection.* Colburn T and Clement C (ed). Princeton Scientific, Princeton, Vol. 21, 295-309.
- 82 Soto AM and Sonnenschein C, 1985. The role of estrogens on the proliferation of human breast tumor cells (MCF-7). *J. Steroid Biochem.* 23:(1), 87-94.
- 83 Holinka CF, Anzal Y, Hata H, Kimmel N, Kuramoto H and Gurside E, 1989. Proliferation and Responsiveness to Estrogen of Human Endometrial Cancer Cells under Serum-free Culture conditions. *Cancer Res.* 49(2), 3297-3301.
- 84 Holinka CF, 1988. Growth and Hormonal Responsiveness of Human Endometrial Stomal Cells in Culture. *Human Cell.* 1(2), 207-217.
- 85 Jensen EV and Jacobson HI, 1960. Fate of Steroid Estrogens in Target Tissues. In: *Biological Activities of Steroids in Relation to Cancer*. G.Pincus and E. P. Vollmer (eds) Academic Press, New York, 161-178.
- 86 Ireland JS, Mukku VR, Robison AK and Stancel GM, 1980. Stimulation of Uterine Deoxyribonucleic Acid Synthesis by 1,1,1-Trichloro-2-(p-chlorophenyl)-2-(o-chlorophenyl) ethane (o,p' -DDT). *Biochem. Pharmacol.* 29, 1469-1474.
- 87 Goldstein JA and Safe S, 1989. Mechanism of Action and Structure-Activity Relationships for the Chlorinated Dibenzo-p-dioxins and Related Compounds. In: *Halogenated Biphenyls, Naphthalenes, Dibenzodioxins and Related Compounds*. Edited by R.D. Kimbrough and A.A. Jensen. Amsterdam. Elsevier-North Holland, 239-293.
- 88 Harper N, Wang X, Liu H and Safe S, 1994. Inhibition of Estrogen-induced Progesterone Receptor in MCF-7 Huma Breast Cancer Cells by Aryl Hydrocarbon (AH) Receptor Agonists. *Mol. Cell. Endocrinol.* 104, 47-55.
- 89 DeVito MJ, Thomas T, Martin E, Umbreit TH and Gallo MA, 1992. Antiestrogenic Action of 2,3,7,8-tetrachlorodibenzo-p-dioxin - tissue. Regulation of Estrogen Receptor in CD1 Mice. *Toxicol. Appl.*

Pharmacol. 113, 284-292.

- 90 Kasis JA, Sakai D, Walent JH and Gorski J, 1984. Primary Cultures of Estrogen-responsive Cells from Rat Uteri: Induction of Progesterone Receptors and a Secreted Protein. *Endocrinology*. 114, 1558-1566.
- 91 Tiemann U and Tuchscherer A, 1995. Effect of Organochlorine Pesticides on the DNA Synthesis of Cultured Uterine Cells in Bovine. *Biol. Reprod.* 52 (suppl.) 170: Abstract #453.
- 92 Liebmann ME, Maurer RA and Gorski J, 1978. Estrogen Control of Prolactin Synthesis In Vitro. P.N.A.S. USA. 75(12): 5946-5949.
- 93 Liebermann ME, Jordan VC, Fritsch M, Santos MA and Gorski J, 1983. Direct and Reversible Inhibition of Estradiol-stimulated Prolactin Synthesis by Antiestrogens In Vitro. *J. Biol. Chem.* 258(8): 4734-4740.
- 94 Mayr U, Butsch A and Schneider S, 1992. Validation of Two In Vitro Test Systems for Estrogenic Activities with Zeoralenone, Phytoestrogens and Cereal Extracts. *Toxicology*. 74, 135-149.
- 95 Miksicek R.J, 1993. Commonly Occurring Plant Flavonoids Have Estrogenic Activity. *Mol. Pharmacol.* 44, 37-43.
- 96 Berry M, Metzger D and Chambon P, 1990. Role of the Two Activating Domains of the Oestrogen Receptor in the Cell-type and Promotor-Context Dependent Agonistic Activity of the Anti-oestrogen, 4-Hydroxytamoxifen. *EMBO J.* 9, 2811-2818.
- 97 Connor K, Howell J, Chen I, Lui H, Berhane K, Sciarretta C, Safe S and Zacharewski T, 1996. Failure of Chloro-s-triazine-derived Compounds to Induce Estrogen Receptor-mediated Responses in Vivo and in vitro. *Fund. Appl. Toxicol.* 30, 93-101.
- 98 Rogers BJ, 1989. Examination of data from programs of in vitro fertilisation in relation to sperm integrity and reproductive success. In Burger EJ, Tardiff G, Scialli A and Zenick, H. (Ed), Sperm Measures and Reproductive Success. *Progress in Clinical and Biological Research*, Alan A. Liss, New York Vol. 302, 69-89.
- 99 Spielmann H and Vogel R, 1989. Unique role of studies on preimplantation embryos to understand mechanism of embryo toxicity in early pregnancy. *Critical Reviews in Toxicology*. 20: 51-64.
- 100 Nagel SC, Taylor JA, vomSaal FS and Welshons WV, 1995. Relative Binding Affinity - Serum Enhanced Access Assay to Predict the Estrogenic Bioactivity of Phytoestrogens and Alkylphenols. *The Endocrine Society Abstracts*, 227.
- 101 Mattison DR, 1993. Sites of female reproductive vulnerability: implications for testing and risk assessment. *Reproductive Toxicol.* 7 (Suppl. 1), 53-62.
- 102 Metzler M and Pfeiffer E, 1995. Effects of Estrogens on Microtubule Polymerization in Vitro: Correlation with Estrogenicity. *Environ. Health Perspect.* 103 (Suppl. 7), 21-22.
- 103 Teng C, 1996. Mouse Lactoferrin Gene: A Marker for Estrogen and Epidermal Growth Factor. *Environ. Health Perspect.* 103 (Suppl. 7), 17-20.
- 104 OECD Guidelines for Testing of Chemicals, 1992. Guideline 210. Fish, Early Life Stage Test.
- 105 US Environmental Protection Agency, 1986. Toxic Substances Control Act Test Guidelines; Final Rules: Fish Partial Chronic Test. 40 CFR-850.1500. *Fed. Reg.*
- 106 OECD Guidelines for Testing of Chemicals, 1992. Guideline 202 (II). *Daphnia magna* Reproduction Test.
- 107 ASTM Standard Guide E1191-90, 1990. *Mysidopsis bahia* Chronic Toxicity Test.
- 108 ASTM Standard Guide E1562-94., 1994 Polychaetous Annelids.

- 109 Stewart KM and Thompson RS, 1995. Fluoranthene as a model toxicant in sediment studies with *Chironomus riparius*. *J. Aquatic Ecosystem Health* 4, 231-238.
- 110 US Environmental Protection Agency, 1982. Pesticide Assessment Guidelines, Subdivision E. Hazard Evaluation: Wildlife and Aquatic Organisms. *Office of Pesticides and Toxic Substances*, Washington, D.C. EPA- 540/9- 82-024.
- 111 US Environmental Protection Agency, 1986. Addendum 2 to Pesticide Assessment Guidelines, Subdivision E. Hazard Evaluation: Wildlife and Aquatic Organisms. *Office of Pesticides and Toxic Substances*, Washington, D.C. EPA - 540/9-87-198.
- 112 OECD Guidelines for Testing of Chemicals, 1992. Guideline 206. Avian Reproduction Test.
- 113 Smith BS, 1981. Reproductive anomalies in stenoglossan snails caused by antifouling bottom paints. *J. Appl. Toxicol.* 1, 15-21.
- 114 Bryan GW, Gibbs PE, Hummerstone LG and Burt GR, 1986. The decline of the gastropod *Nucella lapillus* around south-west England: evidence for the effect of tri-n-butyltin from antifouling paints. *J. Mar. Biol. Ass. U.K.* 66. 611-640.
- 115 Short JW, Rice SD, Brodersen CC and Stickle WB, 1989. Occurrence of tri-n-butyltin caused imposex in the north Pacific marine snail *Nucella lima* in Auke Bay, Alaska, *Mar. Biol.*, 102, 291-297.
- 116 Ellis DV and Pattisina LA, 1990. Widespread neogastropod imposex: A biological indicator for global TBT contamination. *Mar. Pollut. Bull.*, 21, 248-253.
- 117 Fox GA, 1991. Practical causal interference for epidemiologists. *J. Toxicol. Environ. Health.*, 33, 359-373.
- 118 Yu N-W, Hsu C-Y, Ku H-K, Chang L-T and Lui H-W, 1993. Gonadal differentiation and secretions of estradiol and testosterone of the ovaries of *Rana catesbeiana* tadpoles treated with 4-hydroxyandrostenedione. *J. Exper. Zool.*, 265, 252-257.
- 119 Palmer BD and Palmer SK, 1995. Vitellogenin induction by xenobiotic estrogens in the Red-eared turtle and African Clawed frog. *Envir. Health Persp.*, 103, Supplement 4, 19-25.
- 120 Bergeron JM, Crews D and McLachlan JA, 1994. PCB's as environmental oestrogens: turtle sex determination as a biomarker of environmental contamination. *Environ. Health Persp.*, 102, 780-781.
- 121 Lance VA and Bogart MH, 1992. Disruption of ovarian development in alligator embryos treated with an aromatase inhibitor. *Gen. Comp. Endocrinol.*, 86, 59-71.
- 122 Guillette LJJ, Gross TS, Masson GR, Matter JM, Percival HF and Woodward AR, 1994. Developmental abnormalities of the gonad and abnormal sex hormone concentrations in juvenile alligators from contaminated and control lakes in Florida. *Environ. Health. Perspect.*, 102, 680-688.
- 123 Martin AL, 1983. Assessment of the effects of chemicals on the reproductive functions of reptiles and amphibians. *SCOPE 20. Methods for assessing the effects of chemicals on reproductive functions.* pp 405-413. Vouk VB and Sheenan PJ (ed.), John Wiley and Sons.
- 124 Wester PW and Canton JH, 1986. Histopathological study of *Oryzias latipes* (medaka) after long-term β -hexachlorocyclohexane exposure. *Aquat. Toxicol.*, 9, 21-45.
- 125 Landner L, Neilson AH, Sørensen L, Tärnholm A and Viktor T, 1985. Short-term test for predicting the potential of xenobiotics to impair reproductive success in fish. *Ecotox. Envir. Saf.*, 9, 282-293.
- 126 Jobling S and Sumpter JP, 1993. Detergent components in sewage effluent are weakly oestrogenic to fish: an in vitro study using rainbow trout (*Oncorhynchus mykiss*) hepatocytes. *Aquatic Toxicology*, 27, 361-372.
- 127 Pelissero C, Bennetau B, Babin P, Le Menn F and Dunogues J, 1991. The estrogenic activity of certain phytoestrogens in the Siberian sturgeon *Acipenser baeri*. *J. Steroid Biochem. Molec. Biol.*, 38, 293-299.

- 128 Purdom CE, Hardiman PA, Bye VJ, Eno NC, Tyler CR and Sumpter JP, 1994. Estrogenic effects of effluents from sewage treatment works. *Chemistry and Ecology*, 8, 275 -285.
- 129 Lazier CB and MacKay ME, 1993. Vitellogenin gene expression in teleost fish. In *Biochemistry and Molecular Biology of Fishes*. Chapter 19, Vol. 2, Hochanchka and Mommsen (ed.), Elsevier Science Publishers.
- 130 Denton TE, Howell WM, Allison JJ, McCollum J and Marks B, 1985. Masculinization of female mosquitofish by exposure to plant sterols and *Mycobacterium smegmatis*. *Bull. Environ. Contam. Toxicol.*, 35, 627-632.
- 131 Bresch H, 1982. Investigation of the long-term action of xenobiotics on fish with special regard to reproduction. *Ecotoxicol. Environ. Safety*, 6, 102-112.
- 132 Bresch H, Beek H, Ehlerman D, Shluzus H and Urbanek M, 1990. Investigations of the long-term action of xenobiotics on fish with test comprising reproduction and growth of Zebrafish with 4-chloroaniline. *Arch. Environ. Contam. Toxicol.* 19, 419-427.
- 133 Elbrecht A and Smith RG, 1992. Aromatase enzyme activity and sex determination in chickens. *Science*, 255, 467-470.
- 134 White R, Jobling S, Hoare SA, Sumpter JP and Parker MG, 1994. Environmentally persistent alkylphenolic compounds are estrogenic. *Endocrinology*, 135, 175-182.
- 135 Routledge EJ and Sumpter JP, 1996. Estrogenic activity of surfactants and some of their degradation products assessed using recombination yeast screen. *Environmental Toxicol. Chem.* 15:241-248.
- 136 Klein KO, Baron J, Colli MJ, McDonnell DP and Cutler GBJ, 1994. Estrogen levels in childhood determined by an ultrasensitive recombinant cell bioassay. *J. Clin. Invest.* 94, 2475-2480.
- 137 Purvis IJ *et al* , 1991. An androgen-inducible expression system for *Saccharomyces cerevisiae* .*Gene*, 106, 35-42.

APPENDIX 1. MEMBERS OF THE TASK FORCE

G.L.P. RANDALL (Chairman)	ZENECA UK-Brixham
J. ASHBY	ZENECA UK-Cheshire
R. BARS	RHÔNE-POULENC AGRO F-Sophia Antipolis
C. DE ROOIJ	SOLVAY B-Brussels
W. DE WOLF	PROCTER & GAMBLE B-Brussels
K. EIDE LUNDE	NORSK HYDRO N-Porsgrunn
P. FOSTER	CIIT USA-North Carolina
C. HEGELE-HARTUNG	SCHERING D-Berlin
E. HOUTHOFF	AKZO NOBLE CHEMICALS NL-Amersfoort
J.R. JACKSON	MONSANTO B-Brussels
F.W. JEKAT	BAYER D-Wuppertal
S. KENNEDY	UNILEVER UK-Bedford
R. LÄNGE	SCHERING D-Berlin
N. MOORE	BP CHEMICALS UK-London
A. NIKIFOROV	EXXON BIOCHEMICAL SCIENCES USA-East Millestone

D. PALLAPIES	BASF D-Ludwigshafen
A. POOLE	DOW EUROPE CH-Horgen
A. SARRIF	DUPONT D-Bad Homburg
N. SCHOLZ	HÜLS D-Marl
J. STEVENS	CIBA-GEIGY CH-Basel
L. TATTERSFIELD	SHELL INTERNATIONAL UK-Cheshire
J. TOMENSON	ICI UK-Northwich
R. VAN EGMOND	UNILEVER UK-Wirral
J. VAN MILLER	UNION CARBIDE USA-Danbury
G. VEENSTRA	SHELL INTERNATIONAL UK-London
F.M. CARPANINI	ECETOC B-Brussels

Acknowledgement

The Task Force wishes to thank Dr. W. Gfeller (CIBA-GEIGY, Basel) for his valuable contribution to this report.

APPENDIX 2. MEMBERS OF THE SCIENTIFIC COMMITTEE
(Peer Review Committee)

W.F. TORDOIR (Chairman), Group Adviser, Environmental Health and Human Toxicology	SHELL NL-Den Haag
H. VERSCHUUREN (Vice-Chairman), Head, Toxicology Department	DOW EUROPE CH-Horgen
O.C. BØCKMAN, Scientific Advisor	NORSK HYDRO N-Porsgrunn
N.G. CARMICHAEL, Toxicology Director Worldwide	RHÔNE-POULENC F-Lyon
H. DE HENAU, European Technical Centre, Professional and Regulatory Services	PROCTER & GAMBLE B-Brussels
A. de MORSIER, Head, Ecotoxicology	CIBA-GEIGY CH-Basel
C. D'HONDT, Head, of Ecology Department	CIBA-GEIGY CH-Basel
P.A. GILBERT, Head, Environmental Division	UNILEVER UK-Port Sunlight
B. HILDEBRAND, Director, Experimental Toxicology	BASF AG D-Ludwigshafen
J.R. JACKSON, Director, Medicine and Health Science	MONSANTO B- Brussels
E. LÖSER, Head, Institute of Industrial Toxicology	BAYER D-Wuppertal
R. MILLISCHER, Head, Industrial Toxicology Department	ELF ATOCHEM F-Paris
G.L.P. RANDALL, Director, Environmental Laboratory	ZENECA UK-Brixham
A. SARRIF, Associate Director, Toxicology Affairs	DUPONT D-Bad Homburg
H. WIEGAND, Head, "Product Safety" Department	HÜLS AG D-Marl

Responsible Editor: FM Carpanini, ECETOC
Avenue E Van Nieuwenhuysse 4 (Bte 6)
B - 1160 Brussels, Belgium